SINGER 552B141

Temporary Parts List

for

Machine No. 552B141

204235	ARM DOWEL PIN	2
141403 8		1
	CONNECTING LINK HINGE STUD CLAMPING SCREW AND	
	NEEDLE BAR CONNECTING LINK HINGE STUD POSITION SET	
	SCREW	
147070	ARM HOLE PLUG SCREW WASHER	1
146552	ARM SCREW	4
157875	ARM SHAFT WITH 1036(830),140542(830) 140552(830)	1
157875	AND 157704	
157877 9	00 ARM SHAFT 157875 WITH 140359(805),143236,157704 AND	1
	157822	_
158034	ARM SHAFT BUSHING (INTERMEDIATE)	1
157704	ARM SHAFT BUSHING (INTERMEDIATE) THRUST SPACER	1
156194	ARM SHAFT BUSHING (LEFT)	1
157704	ARM SHAFT BUSHING (LEFT) THRUST SPACER	1
156063	ARM SHAFT DRIVING BELT	1
156425	ARM SHAFT DRIVING BELT COVER	1
51384 8		4
156507	ARM SHAFT FLANGED BUSHING (RIGHT)	1
158035	ARM SHAFT OIL SHIELD	1
140359 8		1
143236	ARM SHAFT SCREW PLUG (LEFT) WASHER	1
144 8		1
157709	ARM SHAFT SPROCKET WHEEL WITH 143624 AND FOUR	1
157709	141470(869)	1
143624	ARM SHAFT SPROCKET WHEEL HUB O RING (INSIDE)	1
143624	ARM SHAFT SPROCKET WHEEL HUB O RING (DUTSIDE)	1
158045	ARM SHAFT SPROCKET WHEEL HUB THRUST WASHER	•
158045 141470 8	(OUTSIDE) 69 ARM SHAFT SPROCKET WHEEL SET SCREW (1/4 X 40 SS X	4
141410 0	7/16 IN. LONG. ALLEN FLAT POINT SET SCREW)	•
147468	ARM SHAFT THRUST COLLAR WITH TWO 624(830)	1
624 8		2
158113	ARM TOP COVER	1
158205	ARM TOP COVER 158113 WITH 1480(805), 141443(819),	1
130203	156650, 156651, 157474, 158114 AND TWO 157820	
156200	ARM TOP COVER GASKET	1
156650	ARM TOP COVER DIL SIGHT DOME	1
156651	ARM TOP COVER DIL SIGHT DOME O RING (NATIONAL O	1
156651	RING NO. 622710)	
141443 8	19 ARM TOP COVER PLUG SCREW	1
157474	ARM TOP COVER PLUG SCREW GASKET	1
172 8	19 ARM TOP COVER SCREW	8
157820	ARM TOP COVER THREAD TUBE (NEEDLE THREAD)	2
158114	ARM TOP COVER THREAD TUBE (NEEDLE THREAD) CLAMPING	1
	PLATE	
1480 8	05 ARM TOP COVER THREAD TUBE (NEEDLE THREAD) CLAMPING	1
	PLATE LOCKING SCREW	
156379	BED COVER (BACK AND LEFT)	1
1095 8	19 BED COVER (BACK AND LEFT) SCREW	4

PART N		DESCRIPTION	QTY
157883 157885 157038 156382 156383 156384 1300 156407 156791 157383 156408 141433	819	BED COVER (TOP) BED COVER (TOP) 156407 WITH 141433(819) AND 157373 BED COVER (TOP) DAMPING PAD BED COVER (TOP) GASKET BED COVER (TOP) PLUG SCREW (FOR ACCESS TO LOOPER	1 1 1 1 2 2 1 1 1 1
157373 140807 143024 157109 140999		BED HOLE PLUG (CENTER) BED HOLE PLUG (LEFT) BED HOLE PLUG SCREW (FOR ADJUSTING FEED DRIVING	1 12 1 1
	805 805 819	ECCENTRIC) BED HOLE PLUG SCREW GASKET BED DIL DRAIN SCREEN BED DIL DRAIN SCREEN RETAINING PLATE BED DIL DRAIN SCREEN RETAINING PLATE SCREW BED DIL PLUG SCREW BED DIL PLUG SCREW WASHER BED DIL SCREW (RIGHT) BED DIL SCREW (RIGHT) 140439(819) WITH A SUITABLE LENGTH OF WICKING (5/32 IN. X 7/16 IN. LONG S.A.E.	1 3 1 2 2 2 1 1
157767 158182		F-1 FELT) BED OIL SCREW (RIGHT) OIL WICK FOR DILING LOOPER PITMAN ROD END BEARING (RIGHT) BALL STUD OIL WICK (5/32 IN. X7/16 IN. LONG S.A.E. F-1 FELT) FOR USE WITH BED OIL SCREW (RIGHT) NO. 157766 BED SHAFT COUPLING WITH FOUR 141469(869)	1
141469 157804 157711 157712	869	BED SHAFT COUPLING SET SCREW BED SHAFT (LEFT) WITH A SUITABLE LENGTH OF WICKING (1/8 IN. DIAM. X 41/2 IN. LONG PIPE CLEANER WICK) BED SHAFT (LEFT) BUSHING (LEFT, INNER) BED SHAFT (LEFT) BUSHING (LEFT, INNER) OIL SLING	1 1
156181 141301		WITH TWO 141301(869) BED SHAFT (LTFT) BUSHING (LEFT, INNER) DIL SLING D RING (PARKER D RING NO. 2-14) BED SHAFT (LEFT) BUSHING (LEFT, INNER) DIL SLING	1 2
157713 157922 157829		SET SCREW (8 X 32 X 1/8 IN. LONG. ALLEN FLAT POINT SET SCREW) BED SHAFT (LEFT) BUSHING (LEFT, INNER) THRUST SPACER BED SHAFT (LEFT) BUSHING (LEFT, OUTER) BED SHAFT (LEFT) BUSHING (LEFT, OUTER) COVER	1 1 1
17:027		was written a same or weathers among the second of second	

156230		BED SHAFT (LEFT) BUSHING (LEFT, OUTER) COVER GASKET	1
	819	The second secon	4
156280		BED SHAFT (LEFT) BUSHING (LEFT, OUTER) OIL RETAINER	1
157712		BED SHAFT (LEFT) BUSHING (LEFT, OUTER) OIL SLING	1
15//12		WITH TWO 141301 (869)	•
156181		BED SHAFT (LEFT) BUSHING (LEFT, OUTER) OIL SLING	1
190101		O RING (PARKER O RING NO. 2-14)	_
141301	949		2
141301	007	SET SCREW (8 X 32 X 1/8 IN. LONG. ALLEN FLAT POINT	_
		SET SCREW)	1
157713		BED SHAFT (LEFT) BUSHING (LEFT, OUTER) THRUST	•
		SPACER	1
157921		BED SHAFT (LEFT) OIL WICK (1/8 IN. DIAM. X 4 1/2	•
		IN. LONG PIPE CLEANER WICK) FOR USE WITH 157804	1
157802		BED SHAFT (RIGHT) WITH 50555(830), 156563, TWO EACH	1
		141313(830), 141314(830), 157772 AND FOUR	
		350726(869)	
156557		BED SHAFT (RIGHT) BEVEL GEAR (LEFT) RIGHT HAND	1
		SPIRAL WITH THREE 1259(830) (FOR USE WITH OIL PUMP	
		BEVEL GEAR) NOTED THIS IS GEAR NO. 146864 BUT WITH	
		THREE (3) 1259(830), IN PLACE OF ONE (1)	
		140333(830) AND TWO (2) 1259(830).	
		NOTEO TO ENSURE PROPER FUNCTIONING OF GEARS, NO.	
		156557 WILL NOT BE SUPPLIED TO AGENCIES, BUT WILL	
		BE SUBSTITUTED BY PAIR OF GEARS NO. 156558.	
1259	830	BED SHAFT (RIGHT) BEVEL GEAR (LEFT) SET SCREW	3
156282		BED SHAFT (RIGHT) BUSHING (RIGHT, INNER)	1
141405	869	BED SHAFT (RIGHT) BUSHING (RIGHT, INNER) SET SCREW	1
		(10 X 24 X 1/4 IN. LONG. ALLEN CUP POINT SCREW)	
141405	869	BED SHAFT (RIGHT) BUSHING (RIGHT, INNER) SET SCREW	1
		LOCK SCREW (10 X 24 X 1/4 IN. LONG. ALLEN CUP POINT	
		SCREW)	
158163		BED SHAFT (RIGHT) COLLAR WITH TWO 350595(869)	1
350595	869	BED SHAFT (RIGHT) COLLAR SET SCREW	2
157811	00,	BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL	1
13,011		HUB WITH 141470(869), 141471(869), 143624 AND TWO	
		141469(830)	
143624		BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL	1
113021		HUB O RING (INSIDE)	
143624		BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL	1
143024		HUB O RING (OUTSIDE)	_
158045		BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL	1
170047		HUB THRUST WASHER (OUTSIDE)	_
154204		BED SHAFT (RIGHT) FLANGED BUSHING (RIGHT, DUTER)	1
156296 50555	830	BED SHAFT (RIGHT) DIL PLUG (RIGHT) SCREW	î
141471		BED SHAFT (RIGHT) SPROCKET WHEEL POSITION SCREW	ì
1414/1	007	(1/4 x 40 SS x 7/16 IN. LONG. ALLEN CONE POINT SET	_
1/1/70	040	SCREW) BED SHAET ADJOUTA SDEDOWET HUSEL SET SCREW (11/4 Y	1
141470	807	BED SHAFT (RIGHT) SPROCKET WHEEL SET SCREW (1/4 X	1
		40 SS X 7/16 IN. LONG. ALLEN FLAT POINT SET SCREW)	

141469	869	BED SHAFT (RIGHT) SPROCKET WHEEL SET SCREW LOCKING	2
156249 156250 141309		BELT GUARD BELT GUARD HINGE STUD	1 1
156251 140003	805	BELT GUARD LATCH SPRING BELT GUARD LATCH SPRING SCREW	1 2 1
156252	803	BELT GUARD (HINGED) COMPLETE, NOS. 156249, 156251 AND TWO 140003(805)	1
157824		FACE PLATE WITH 141443(819), 157063-900 AND 157474	1
		FACE PLATE GASKET	1
		FACE PLATE PLUG SCREW	1
157474		FACE PLATE PLUG SCREW GASKET	1
145	819		2
120	819	FACE PLATE SCREW (UPPER)	2
157842		FEED BAR WITH 223(803), 141292(869), 141476, 156069 AND 156070	1
156141		FEED BAR COMPLETE, NOS. 1519(819), 127784,	1
157731			1
		WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK)	
157732		FEED BAR HINGE PIN DIL WICK (7/32 IN. DIAM. X25/8 IN. LONG, S.A.E. F-1 FELT WICK) FOR USE WITH PIN NO. 157731	1
141292	869		1
156187		FEED CONNECTING ROD WITH 141292(869)	1
156211		FEED CONNECTING ROD HINGE PIN	1
141292	869	FEED CONNECTING ROD HINGE PIN SET SCREW (8 X 32 X 3/16 IN. LONG. ALLEN FLAT POINT SET SCREW)	1
141476		FEED DOG HEIGHT ADJUSTING SCREW (WITH NYLOCK)	1
156067		FEED DOG HOLDER	1
		FEED DOG HOLDER ADJUSTING SCREW	1
1519	819	FEED DOG HOLDER NUT	1
156068		FEED DOG HOLDER NUT WASHER	1
7071		FEED DRIVING ECCENTRIC BODY CLAMPING WASHER	2
	805	FEED DRIVING ECCENTRIC BODY CLAMPING WASHER SCREW	2
141471		FEED DRIVING ECCENTRIC BUDY POSITION SCREW	1
141469		FEED DRIVING ECCENTRIC BODY SET SCREW	2 1
157835		FEED DRIVING ECCENTRIC (ADJUSTABLE) COMPLETE, NOS. 50328(803), 141471(869), AND TWO EACH 217(805),	1
		7071 AND 141469(869)	1
157896		FEED DRIVING ECCENTRIC SPACER	ì
157780		FEED LIFTING ECCENTRIC WITH TWO 141301(869)	1
155043		FEED LIFTING ECCENTRIC CONNECTION FEED LIFTING ECCENTRIC CONNECTION HINGE PIN WITH A	1
156781		SUITABLE LENGTH OF WICKING (1/8 IN. DIAM. X 13/16	•

350719 869

IN. LONG S.A.E. F-1 OIL WICK) FEED LIFTING ECCENTRIC CONNECTION HINGE PIN OIL 1 156782 WICK (1/8 IN. DIAMETER X 13/16 IN. LONG, S.A.E. F-1 DIL WICK) FOR USE WITH 156781 FEED LIFTING ECCENTRIC CONNECTION HINGE PIN SET 1 223 803 SCREW 2 FEED LIFTING ECCENTRIC SET SCREW (8 X 32 X 1/8 IN. 141301 869 LONG. ALLEN FLAT POINT SET SCREW) 1 FEED REGULATING SCREW 50328 803 1 FEED ROCKER WITH TWO 141303(869) 156179 2 FEED ROCKER CLAMPING SCREW (8 X 32 X 1/2 IN. LONG. 141303 869 ALLEN CAP SCREW) FEED ROCKER SHAFT WITH 453(830) 1 156184 FEED ROCKER SHAFT BUSHING (LEFT) 1 156180 1 FEED ROCKER SHAFT BUSHING (LEFT) 156180 WITH TWO 156795 156181 156795 FEED ROCKER SHAFT BUSHING (LEFT) O RING (PARKER 2 156181 RING NO. 2-14) 156181 FEED ROCKER SHAFT BUSHING (INTERMEDIATE) 156182 FEED ROCKER SHAFT BUSHING (INTERMEDIATE) 156182 1 156796 WITH 156181 FEED ROCKER SHAFT BUSHING (INTERMEDIATE) O RING 1 156181 (PARKER O RING NO. 2-14) FEED ROCKER SHAFT BUSHING (RIGHT) 156183 FEED ROCKER SHAFT COLLAR WITH TWO 141301(869) 156191 FEED ROCKER SHAFT COLLAR SET SCREW (8 X 32 X 1/8 141301 869 IN. LONG. ALLEN FLAT POINT SET SCREW) FEED ROCKER SHAFT CRANK WITH 141303(869) 156223 FEED ROCKER SHAFT CRANK CLAMPING SCREW (8 X 32 X 1 141303 869 1/2 IN. LONG. ALLEN CAP SCREW) FEED ROCKER SHAFT DIL PLUG SCREW 453 830 HAND WHEEL WITH TWO 140409(869) 156064 HAND WHEEL SET SCREW (1/4 X 28 X 3/8 IN. LONG. 2 140409 869 ALLEN FLAT POINT SET SCREW) 1 LOOPER (BACK) 156414 LOOPER AVOIDING ECCENTRIC WITH TWO 141301(869) 1 157780 LOOPER AVOIDING ECCENTRIC CONNECTION 1 156043 LOOPER AVOIDING ECCENTRIC CONNECTION HINGE PIN WITH 156781 A SUITABLE LENGTH OF WICKING (1/8 IN. DIAM. X 13/16 IN. LONG S.A.E. F-1 DIL WICK) 156781 LOOPER AVOIDING ECCENTRIC CONNECTION HINGE PIN OIL 1 156782 WICK (1/8 IN. DIAM. X 13/16 IN. LONG S.A.E. F-1 OIL WICK) FOR USE WITH 156781 1 LOOPER AVOIDING ECCENTRIC CONNECTION HINGE PIN SET 223 803 2 141301 869 LOOPER AVOIDING ECCENTRIC SET SCREW LOOPER AVOIDING LINK WITH 223(803), 350719(869) AND 157769 TWO 50420(830) LOOPER AVOIDING LINK CLAMPING SCREW (10 X 32 X 1/2

IN. LONG. ALLEN CAP SCREW)

PART NUMBER

NLAM		DESCRIPTION	QTY
50420 157768	830	LOOPER DRIVING LEVER WITH 350606(869) AND	2
350719	869	350719(869) LOOPER DRIVING LEVER CLAMPING SCREW (10 X 32 X 1/2 IN. LONG. ALLEN CAP SCREW)	1
157772		LOOPER DRIVING LEVER CONNECTION ALIGNMENT PLATE	2
-350726	869	SCREW	4
141314	830	LOOPER DRIVING LEVER CONNECTION BEARING (CRANK END) CAP SCREW	2
141313	830	LOOPER DRIVING LEVER CONNECTION BEARING (STUD END) CAP SCREW	2
156563		LOOPER DRIVING LEVER CONNECTION OIL TUBE (PLASTIC)	1
158044		LOOPER DRIVING LEVER DIL GUARD	1
157728		LOOPER DRIVING LEVER ROCK SHAFT	1
156478		LOOPER DRIVING LEVER ROCK SHAFT BUSHING (BACK)	1
157730		LOOPER DRIVING LEVER ROCK SHAFT BUSHING (FRONT) WITH 156516	1
156516		LOOPER DRIVING LEVER ROCK SHAFT BUSHING (FRONT) 0	1
156516		RING (PARKER NO. 2-13)	_
156475		LOOPER DRIVING LEVER ROCK SHAFT COLLAR WITH TWO 350680(869)	1
350680	869	LOOPER DRIVING LEVER ROCK SHAFT COLLAR SET SCREW (8 X 32 X 1/4 IN. LONG. ALLEN CAP SCREW)	2
156229		LOOPER DRIVING LEVER ROCK SHAFT COVER	1
156230		LOOPER DRIVING LEVER ROCK SHAFT COVER GASKET	1
208	833	LOOPER DRIVING LEVER ROCK SHAFT COVER SCREW	4
51637		LOOPER DRIVING LEVER ROCK SHAFT STUD NUT	1
8787		LOOPER DRIVING LEVER ROCK SHAFT STUD NUT WASHER	1
157706		LOOPER DRIVING LEVER ROCK SHAFT STUD SPACER (.010)	1
157707		LOOPER DRIVING LEVER ROCK SHAFT STUD SPACER (.040) NOTEO SPACERS NOS. 157706 AND 157707 ARE TO BE USED IN AMOUNTS AS REQUIRED.	1
157847		LOOPER DRIVING LEVER ROCK SHAFT THRUST SPACER	1
156739		LOOPER HOLDER WITH TWO 350595(869)	1
157630		LOOPER HOLDER 156739 WITH 1056(833), 1664(805),	1
23,030		8905, 157735, 157738 AND SUITABLE LENGTH OF WICKING (1/8 IN. DIAM. X 1 3/16 IN. LONG PIPE CLEANER)	
156472	i	LOOPER HOLDER CONE WITH TWO 141301(869)	1
		LOOPER HOLDER CONE LOCK SCREW	1
_	805		1
157087		LOOPER HOLDER CONE LOCK SCREW O RING (PARKER NO. 2-6)	1
141301	869		2
157084		LOOPER HOLDER CONE STUD	1
		LOOPER HOLDER CONE STUD LOCK NUT	ī
8905		LOOPER HOLDER CONE STUD LOCK NUT WASHER	ī
157085		LOOPER HOLDER CONE STUD OIL METERING SCREW	1
158229		LOOPER PITMAN ROD	1

158230		LOOPER PITMAN ROD WITH 1649(803) AND 1650(803)	1
		LOOPER PITMAN ROD END BEARING (LEFT)	ī
157735	805		i
1004	005	NUT	•
8905		LOOPER PITMAN ROD END BEARING (LEFT) BALL STUD LOCK	1
0905		NUT WASHER	_
157737		LOOPER PITMAN ROD END BEARING (LEFT) BALL STUD OIL	1
15/15/		WICK (1/8 IN. DIAM. X 1 3/16 IN. PIPE CLEANER WICK)	•
		FOR USE WITH LOOPER HOLDER 157630	
157738		LOOPER PITMAN ROD END BEARING (LEFT) BALL STUD OIL	1
131130		WICK RETAINER	_
1056	633	LOOPER PITMAN ROD END BEARING (LEFT) BALL STUD OIL	1
1036	033	WICK RETAINER SCREW	-
1/1217	020	LOOPER PITMAN ROD END BEARING (LEFT) CAP SCREW	2
141317			ī
156453	900	141317(830)	•
1577/1		LOOPER PITMAN ROD END BEARING (RIGHT) WITH A	1
157761		SUITABLE LENGTH OF WICKING (1/8 IN. X 11/32 IN.	-
		LONG, S.A.E. F-1 FELT)	
250404	94.0		1
350606	009	CLAMPING SCREW (10 X 32 X 3/8 IN. LONG. ALLEN CAP	-
		SCREW)	
157764		LOOPER PITMAN ROD END BEARING (RIGHT) BALL STUD DIL	1
151164		WICK (1/8 IN. X 11/32 IN. LONG, S.A.E. F-1 FELT)	-
		FOR USE WITH END BEARING (RIGHT) NO. 157761	
157481		LOOPER PITMAN ROD END BEARING (RIGHT) BALL STUD	1
131401		WASHER	_
141317	ผลก		2
158184		LOOPER PITMAN ROD EXTENSION	1
158185		LOOPER PITMAN ROD EXTENSION COMPLETE, NOS.	1
130103		1650(803), 1700(803), 158184, 158186, 158187,	
		158188, 158189, 158191, 158192, 158193, 158194 AND	
		163003	
158186		LOOPER PITMAN ROD EXTENSION SLEEVE	1
158187		LOOPER PITMAN ROD EXTENSION SLEEVE CAP	1
		LOOPER PITMAN ROD EXTENSION SLEEVE LOCK NUT	1
158188		LOOPER PITMAN ROD EXTENSION SPRING	1
163003		LOOPER PITMAN ROD EXTENSION SPRING PIN	1
158189		LOOPER PITMAN ROD EXTENSION SPRING RETAINER	1
1649	803		1
1650	803		1
157774		LODPER ROCKER FRAME WITH 140333(830) AND	1
		350719(869)	_
157775		LOOPER ROCKER FRAME 157774 WITH 8905, 51724(805),	1
		157084 AND 157085	_
350719	869		1
		IN. LONG. ALLEN CAP SCREW)	1
140333	830		1
		LOOPER ROCKER SHAFT	1
156164		LOOPER ROCKER SHAFT BUSHING (LEFT)	1

OIL RESERVOIR SCREW (CENTER)

50073 805

(LOWERING) NUT

*************	PRESSER BAR LIFTING LEVER SET SCREW (1/4 X 28 X 1/4	1
141309 869	IN. LONG. ALLEN SOCKET FLAT POINT SET SCREW)	_
* # # # O # #	PRESSER BAR LIFTING LEVER SPRING	1
156265	PRESSER BAR LIFTING LEVER SPRING PIN	1
156248 157079	PRESSER BAR LIFTING SHAFT	1
	PRESSER BAR LIFTING SHAFT BUSHING (LEFT)	1
156195	PRESSER BAR LIFTING SHAFT BUSHING (RIGHT)	1
156195	PRESSER BAR LIFTING SHAFT BUSHING (RIGHT) O RING	1
156196	(NATIONAL D RING 622703)	
157200	PRESSER BAR SPRING	1
157999	PRESSER BAR SPRING LOCATING PIN	1
156286		1
141468 850		1
51614 819	SLACK THREAD CONTROLLER (NEEDLE THREAD)	ī
156992		4
2102	TENSION DISC TENSION PLATE	1
156606		4
997 819	TENSION PLATE SCALA TENSION PLATE SPACER	4
156375		2
1560 803	TENSION RELEASE	1
156609	TENSION RELEASE TENSION RELEASING DISC	2
32572		ī
157080	TENSION RELEASING LEVER ROLLER	ī
51953	TENSION RELEASING LEVER ROLLER TENSION RELEASING LEVER ROLLER LINK	ī
157081	TO THE PERSON OF	ī
181 850		î
53657 850		-
2525	NUT TENSION RELEASING LEVER ROLLER LINK ADJUSTING	1
9525	SCREW WASHER	_
157000	TENSION RELEASING LEVER ROLLER LINK CONNECTION	1
157082		1
588 850	HINGE SCREW	
1718 850	TO THE PARTY OF THE PARTY CONTINUES TO A	1
		0
1718 850 588 850		1
771 0 05 (TENSION RELEASING LEVER ROLLER SCREW NUT	1
1/15 020	TENSION RELEASING LEVER SCREW	1
156487	TENSION RELEASING LEVER SPRING	1
156262	TENSION RELEASING PIN	2
156376	TENSION SPRING (LOOPER THREAD)	2
140043 806		2 2 2
156801	TENSION THREAD CONTROLLER (LOOPER THREAD)	2
156316	TENSION THREAD GUIDE	2
157110	TENSION (LOOPER THREAD) COMPLETE, NOS. 1560(803),	5
	32572, 140043(806), 156376 AND TWO 2102	
157833	THREAD (LOOPER) TAKE-UP WITH 158196 AND TWO	1
*>, ~>>	141301(869)	
158196	THREAD (LOOPER) TAKE-UP POSITION PIN (ELASTIC STOP	1
	NUT ROLL PIN 59-012-062-0500)	
141301 869	THREAD (LOOPER) TAKE-UP SET SCREW (8 X 32 X 1/8 IN.	2
1.1201 00		

		ALLEN FLAT POINT SET SCREW)	_
158027		THREAD (LOOPER) TAKE-UP STRIPPER	1
51047	803	THREAD (LOOPER) TAKE-UP STRIPPER CLAMPING SCREW	1
157351		THREAD (LOOPER) TAKE-UP STRIPPER HOLDER	1
156037		THREAD (LOOPER) TAKE-UP STRIPPER HOLDER BRACKET	1
		WITH 50117(830) AND 156445	
156445		THREAD (LOOPER) TAKE-UP STRIPPER HOLDER BRACKET PIN	1
50117	830	THREAD (LOOPER) TAKE-UP STRIPPER HOLDER BRACKET	1
		SCREW	
50117	830	THREAD (LOOPER) TAKE-UP STRIPPER HOLDER SCREW	1
158222		THREAD (LOOPER) TAKE-UP STRIPPER PLATE	1
158225		THREAD (LOOPER) TAKE-UP STRIPPER PLATE COMPLETE.	1
		NOS. 50117(830), 51047(803), 156037, 156048,	
		157351, 158027, 158222, TWO 158204 AND THREE	
		229(805)	
51119	805	THREAD (LOOPER) TAKE-UP STRIPPER PLATE SCREW	1
9525		THREAD (LOOPER) TAKE-UP STRIPPER PLATE SCREW WASHER	1
156048		THREAD (LOOPER) TAKE-UP STRIPPER STAPLE	1
229	805	THREAD (LOOPER) TAKE-UP STRIPPER STAPLE SCREW	1
158204		THREAD (LOOPER) TAKE-UP THREAD GUIDE (LEFT AND	2
170204		RIGHT)	
220	805		2
229	000	RIGHT) SCREW	_
158136		THREAD (LOOPER) THREAD GUARD COMPLETE, NOS.	1
130130		219(805), 156429 AND TWO 1423(805)	_
150207	900	THREAD (LUOPER) THREAD GUARD EXTENSION	1
_	805	THREAD (LOOPER) THREAD GUARD EXTENSION SCREW	2
1423	005	(LARGE)	_
21.0	005		1
219	805	(SMALL)	•
156174		THREAD (LOOPER) THREAD GUARD HINGE (LEFT)	1
51369			
		THREAD (LOOPER) THREAD GUARD HINGE (RIGHT)	2
156177 51369			2
		THREAD (LOOPER) THREAD GUARD LATCH SPRING	2
156386 156429			ī
1/0002	9.0.E	THREAD (LOOPER) THREAD GUARD LATCH SPRING SCREW	Ž
		THREAD (LOOPER) THREAD GUIDE (CENTER) (IN BED)	ī
156326		THREAD (LOOPER) THREAD GUIDE (CENTER) SCREW	ī
140666		THREAD (LOOPER) THREAD GUIDE (LEFT) (IN BED)	ī
156322		THREAD (LOOPER) THREAD GUIDE (LEFT) SET SCREW	ī
1019		THREAD (LOOPER) THREAD GUIDE (RIGHT) (IN BED)	ī
156318		THREAD (LOOPER) THREAD GUIDE (RIGHT) SCREW	î
000190		THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	2
156744			1
158047		······································	1
1.000	030	WITH 199(819) AND 156695 THREAD (LOOPER) THREAD TUBE (FRONT OF ARM) BRACKET	1
140024	830		•
15//05		MOUNTING SCREW THREAD (LOOPER) THREAD TUBE (FRONT OF ARM) BRACKET	1
156695			-
		POSITION PIN	

100	010	THREAD (LOOPER) THREAD TUBE (FRONT OF ARM) CLAMPING	1
199	819	SCREW	-
156537		THREAD (NEEDLE) TAKE-UP (RIGHT) WITH TWO	1
156551		350595(869)	
7071		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	2
. 1011		BODY CLAMPING WASHER	
21.7	805	THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	2
211	000	BODY CLAMPING WASHER SCREW	
141469	869	THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	3
141407	00)	BODY SET SCREW	
157836		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	1
177030		(ADJUSTABLE) COMPLETE, NOS. 50328(803), THO EACH	
		217(805), 7071 AND THREE 141469(869)	
157715		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	1
15//13		CONNECTING ROD WITH 141141(869)	-
15/011		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	1
156211		CONNECTING ROD HINGE PIN	-
141141	040		1
141141	809	CONNECTING ROD HINGE PIN SET SCREW (10 X 32 X 3/16	-
		IN. LONG. ALLEN CUP POINT SET SCREW)	
15/750		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	1
156758		CONNECTING ROD SPACER	_
1500/0		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
158040		WITH 157265 AND SUITABLE LENGTH OF WICKING (3/16	_
		IN. DIAM. X 8 1/2 IN. LONG S.A.E. F-1 FELT)	
156763		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
100100		BUSHING (LEFT)	_
15/3//		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
156764		BUSHING (LEFT) 156763 WITH 156181	-
15/101		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
156181		BUSHING O RING (PARKER O RING NO. 2-14)	_
156765		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
100100		BUSHING (RIGHT)	-
156181		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
190101		BUSHING (RIGHT) D RING	_
156191		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	2
130131		COLLAR WITH TWO 141301(869)	_
141301	960	The second secon	4
141301	003	COLLAR SET SCREW (8 X 32 X 1/8 IN. LONG. ALLEN FLAT	-
		POINT SET SCREW)	
156223		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
170223		CRANK WITH 141303(869)	
141303	269	THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
141303	00)	CRANK CLAMPING SCREW (8 X 32 X 1/2 IN. LONG ALLEN	
		CAP SCREW)	
158041		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
170071		OIL WICK (3/16 IN. DIAM. X 8 1/2 IN. LONG S.A.E.	
		F-1 FELT) FOR USE WITH 158040	
157265		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
171203		OIL WICK RETAINING PIN	
		was vaws the traiters of art	

PART N	JUMBEF	₹	
			OTY
MAIN	SUFF	DESCRIPTION	QTY
50328	803	THREAD (NEEDLE) TAKE-UP (RIGHT) REGULATING SCREW	1
350595		THREAD (NEEDLE) TAKE-UP (RIGHT) SET SCREW (10 X 32	2
		X 3/16 IN. LONG. ALLEN SOCKET FLAT POINT SET SCREW)	
158115		THREAD (NEEDLE) THREAD CONTROL DEVICE COMPLETE,	1
		NOS. 217(819), 330(819), 1247(819), 1443(806),	
		1771(805), 6465, 50111(819), 50183(806),	
		51310(819), 157747, 157753, 157755, 157756, 157760,	
		157765, 157960, 158121, 158123, 158126, 227224 AND	
		TWO EACH 7071 AND 144282	
157747		THREAD (NEEDLE) THREAD CONTROL DEVICE BRACKET	1
140295	819	THREAD (NEEDLE) THREAD CONTROL DEVICE BRACKET	2
	_	MOUNTING SCREW (FRONT)	
158198		THREAD (NEEDLE) THREAD CONTROL DEVICE BRACKET	1
		SPACER (BACK)	
144282		THREAD (NEEDLE) THREAD CONTROL DEVICE BRACKET	1
		SPACER (FRONT)	
2102		THREAD (NEEDLE) THREAD CONTROL TENSION DISC	4
		THREAD (NEEDLE) THREAD CONTROL TENSION REGULATING	2
		THUMB NUT	0
158117		THREAD (NEEDLE) THREAD CONTROL TENSION RELEASER	1
50435		THREAD (NEEDLE) THREAD CONTROL TENSION RELEASER	2
		PLATE STOP SCREW	_
32572		THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	2
		DISC	
158121		THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	1
		PLATE	
158123		THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	1
		PLATE FINGER	
1443	806	THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	1
		PLATE FINGER SCREW	
7071		THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	1
		PLATE FINGER SCREW WASHER	
50183	806	THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	1
		PLATE HINGE SCREW	
1771	805	THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	1

THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING 1771 805 PLATE HINGE SCREW NUT 6465 THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING 1 PLATE HINGE SCREW NUT WASHER 2 156376 THREAD (NEEDLE) THREAD CONTROL TENSION SPRING THREAD (NEEDLE) THREAD CONTROL TENSION STUD 2 140043 806 THREAD (NEEDLE) THREAD CONTROL TENSION SUPPORT 158124 1 PLATE 158125 THREAD (NEEDLE) THREAD CONTROL TENSION SUPPORT 1 PLATE WITH TENSIONS COMPLETE, NOS. 158117, 158124, AND TWO EACH 50435(850), 156316, 156801 AND 157110 350787 819 THREAD (NEEDLE) THREAD CONTROL TENSION SUPPORT 1 PLATE AND THREAD CONTROL DEVICE BRACKET (BACK) MOUNTING SCREW 156801 THREAD (NEEDLE) THREAD CONTROL TENSION THREAD 2 CONTROLLER

	NUMBEF SUFF	DESCRIPTION	QTY
156316 157110		THREAD (NEEDLE) THREAD CONTROL TENSION THREAD GUIDE THREAD (NEEDLE) THREAD CONTROL TENSION COMPLETE, NOS. 1560(803), 32572, 140043(803), 156376 AND TWO	2 2
157750)	2102 THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF WITH	1
7071		TWO 350595(869) THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	2
217	805	DRIVING ECCENTRIC BUDY CLAMPING WASHER THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF DRIVING ECCENTRIC BUDY CLAMPING WASHER SCREW	2 0
141469	869	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF DRIVING ECCENTRIC BODY SET SCREW	3
157836	b	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF DRIVING ECCENTRIC (ADJUSTABLE) COMPLETE, NOS. 50328(803), TWO EACH 217(805), 7071 AND THREE	1
157715	5	141469(869) THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF DRIVING ECCENTRIC CONNECTING ROD WITH 141141(869)	1
15621	L	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF DRIVING ECCENTRIC CONNECTING ROD HINGE PIN	1
14114	L 8 6 9	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF DRIVING ECCENTRIC CONNECTING ROD HINGE PIN SET	1
		SCREW (10 X 32 X 3/16 IN. LUNG. ALLEN CUP POINT SET	1
15675	8	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF DRIVING ECCENTRIC CONNECTING ROD SPACER	i
5032	B 803	DRIVING ECCENTRIC REGULATING SCREW	1
15621	9	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT WITH 156406 AND 157265	1
15622	0	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT BUSHING (LEFT)	_
15803	9	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF. OSCILLATING SHAFT BUSHING (INTERMEDIATE)	1
15618	1	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT BUSHING (INTERMEDIATE) O RING	1
15622	1	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT BUSHING (RIGHT)	1
15618	1	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT BUSHING (RIGHT) O RING	1
15619	1	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT COLLAR WITH TWO 141301(869)	2
14130	1 869	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT COLLAR SET SCREW (8 X 32 X 1/8 IN. LONG ALLEN FLAT POINT SET SCREW)	4
15622	3	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT CRANK (RIGHT) WITH 141303(869)	1
14130	3 869	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT CRANK (RIGHT) CLAMPING SCREW (8 32 X 1/2 IN. LONG. ALLEN CAP SCREW)	x 1

156406		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
130100		OSCILLATING SHAFT OIL WICK (3/16 IN. X 11 IN. LONG.	
		S.A.E. F-1 OIL WICK)	
157265		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		DSCILLATING SHAFT DIL WICK POSITION PIN	
350595	869	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF SET	2
		SCREW	
158126		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP	
157753		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP ADJUSTING SHAFT	
227224		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP ADJUSTING SHAFT COLLAR WITH	
		201052(833)	_
201052	833	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP ADJUSTING SHAFT COLLAR SET SCREW	
157765		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP CLAMP	
144282		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP CLAMP WASHER	,
157755		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP CONNECTING LINK	1
50111	819	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP CONNECTING LINK SCREW (LOWER)	1
1247	819	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	ı
		THREAD TAKE-UP CONNECTING LINK SCREW (UPPER)	1
157756		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP CONNECTING LINK SCREW (UPPER) SPACER	
1570(0		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
157960		THREAD TAKE-UP POSITION INDICATOR WITH 350595(869)	_
51310	910	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
21310	013	THREAD TAKE-UP POSITION INDICATOR LOCKING THUMB	•
		SCREW	
7071		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
.011		THREAD TAKE-UP POSITION INDICATOR LOCKING THUMB	_
		SCREW WASHER	
350595	869	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP POSITION INDICATOR SET SCREW	
330	819	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP SCREW	
157760		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP SLIDE	
144282		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP SPACER	_
217	819	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP STOP SCREW	•
156564		THREAD (NEEDLE) THREAD WEARING GUIDE	1
156388		CLOTH PLATE	1
156389		CLOTH PLATE COVER PLATE	1
156390		CLOTH PLATE COVER PLATE 156389 WITH 156391 AND	1

PARI	NORDE	K	
MAIN	SUFF	DESCRIPTION	QTY
		THREE EACH 50009(803) AND 175032	
15639		CLOTH PLATE COVER PLATE SPRING	1
	9 803		3
17503	_	CLOTH PLATE COVER PLATE SPRING SCREW WASHER	5
	9 819		3 3 5 1
15713	5	FEED DOG (16 TEETH PER INCH) FOR 12 GAUGE	1
		NOTED WHEN ORDERING NO. 157135 GAUGE NEED NOT BE	
10717	-	SPECIFIED.	1
15/13	7	FEED DOG (16 TEETH PER INCH) FOR 16 GAUGE (157137-900 MACHINED) NOTEO WHEN ORDERING NO.	•
		157137-900 MACHINED NOTES WHEN ORDERING NO.	
25071	0 840	FEED DOG SCREW	1
	3 502		ī
15705	5 502	157056(505) AND 157056(506) FOR 12 AND 16 GAUGES.	•
		1/16 IN. CAPACITY NOTEO WHEN ORDERING NO. 157053.	
		CODE FOR GAUGE AND CAPACITY MUST BE STATED.	
15705	5 505		1
10,00	, , , ,	157056(505) FOR 12 GAUGE, 1/16 IN. CAPACITY	_
15705	5 506		1
13.03	, , , ,	157056(506) FOR 16 GAUGE, 1/16 IN. CAPACITY	_
		NOTEO WHEN ORDERING NO. 157055, CODE FOR GAUGE AND	
		CAPACITY MUST BE STATED.	
20	7 819		1
15705	6 505		1
		FOR 12 GAUGE, 1/16 IN. CAPACITY NOS. 207(819),	
		157053(502) AND 157055(505)	
15705	6 506		1
		FOR 16 GAUGE, 1/16 IN. CAPACITY NOS. 207(819),	
		157053(502) AND 157055(506) NOTEO WHEN ORDERING	
		NG. 157056, CODE FOR GAUGE AND CAPACITY MUST BE	
		STATED.	_
		LAP SEAM FELLER FASTENING PLATE	1
		LAP SEAM FELLER FASTENING PLATE SCREW	2
15641		LOOPER (FRONT) FOR 12 GAUGE	1
15699	9	LOOPER (FRONT) FOR 16 GAUGE	1
15010	^	NEEDLE, SIZE NO. 16 CAT. NO. 3650	2
15812		NEEDLE BAR (HOLLOW) NEEDLE BAR COMPLETE FOR 12 GAUGE, NOS. 139116(012)	1
10021	9 012	AND 158129	
15021	9 016	NEEDLE BAR COMPLETE FOR 16 GAUGE, NOS. 139116(016)	1
13021	9 010	AND 158129 NOTEO WHEN ORDERING NO. 158219 CODE FOR	•
		GAUGE REQUIRED MUST BE STATED.	
13911	6 012	NEEDLE CLAMP WITH TWO 1498(830) FOR 12 GAUGE	1
	6 016	NEEDLE CLAMP WITH TWO 1498(830) FOR 16 GAUGE	ī
		NOTEO WHEN ORDERING NO. 139116 STATE GAUGE REQUIRED	
149	8 830	NEEDLE SET SCREW	2
14317		NUMBER PLATE RIVET	2 2 1
	4 900	PRESSER FOOT CHAIN CUTTER (AS RECEIVED FROM	1
		OUTSIDE VENDOR) FOR 157964	0
15796	4	PRESSER FOOT CHAIN CUTTER (157964-900 MACHINED)	1

PART	NUMBE	R	
MAIN	SUFF	DESCRIPTION	QTY
117211	557.		
		POSSESSED FOOT CLAMPING CODEW FOR 157094	1
	5 869	PRESSER FOOT CLAMPING SCREW FOR 157984 PRESSER FOOT HOLDER WITH 141305(869)	i
	4		ī
	8 012 8 015	PRESSER FOOT PLATE FOR 16 GAUGE (CODE NO. 016)	ī
10010	9 019	NOTEO WHEN ORDERING NO. 156158 CODE FOR GAUGE	_
		REQUIRED MUST BE STATED.	
14120	6 830		1
15813		PRESSER FOOT PLATE HOLDER	1
_	o O	PRESSER FOOT (SPRING) SHANK	1
15818	3	PRESSER FOOT (SPRING) SHANK CLAMPING BLOCK	1
22	3 819	PRESSER FOOT (SPRING) SHANK CLAMPING BLOCK SCREW	2
15779	1	PRESSER FOOT (SPRING) SHANK CLAMPING PLATE	1
15779	2	PRESSER FOOT (SPRING) SHANK PLUNGER	1
15788	1	PRESSER FOOT (SPRING) SHANK PRESSURE REGULATING	1
		NUT WITH 906(830)	•
90	6 830	PRESSER FOOT (SPRING) SHANK PRESSURE REGULATING NUT	1
		LOCKING SCREW	1
15813	5 012	PRESSER FOOT (SPRING HINGED, LOW INERTIA) COMPLETE	1
		FOR 12 GAUGE (CODE NO. 012) NOS. 141296(830)	
		156158(012), 157791, 157792, 157964, 157970, 157984, 158134, 158183 AND TWO 223(819)	
	5 01/	PRESSER FOOT (SPRING HINGED, LOW INERTIA) COMPLETE	1
15813	2 010	FOR 16 GAUGE (CODE NO. 016) NOS. 141296(830)	•
		156158(016), 157791, 157792, 157964, 157970, 157984	
		158134, 158183 AND TWO 223(819) NOTEO WHEN	
		ORDERING NO. 158135 CODE FOR GAUGE REQUIRED MUST	
		BE STATED.	
15644	5		2
15655		THREAD (NEEDLE) TAKE-UP (LEFT) WITH 51281(830)	1
5128	1 830	THREAD (NEEDLE) TAKE-UP (LEFT) SET SCREW	1
15713	6 012	THROAT PLATE FOR 12 GAUGE (CODE NO. 012) NOTEO WHEN	1
		ORDERING NO. 157136 CODE FOR GAUGE REQUIRED MUST	
15713	36 012	BE STATED.	
15713	38 016	THROAT PLATE FOR 16 GAUGE (CODE NO. 016) NOTEO WHEN	1
		ORDERING NO. 157138 CODE FOR GAUGE REQUIRED MUST	
		BE STATED.	2
15604		THROAT PLATE LOCATING PIN	2
	54 806	THROAT PLATE SCREW THROAT PLATE SUPPORT WITH TWO 156042	ī
15633 15604		THROAT PLATE SUPPORT PIN	2
	+2 28 819		3
2145		CAUTION TAG	1
15690		FOOT LIFTER TREADLE CHAIN (42 IN. LONG) WITH 56864	1
1007	<i>J</i> 1	AND 56865 NOTEO FOR OTHER SIZES OF CHAIN SEE NO.	
		6439•	
5686	54	FOOT LIFTER TREADLE CHAIN HOOK (LARGE)	1
5686		FOOT LIFTER TREADLE CHAIN HOOK (SMALL)	1
15749	50	HEX SOCKET SCREW DRIVER (3/32 IN. HEX.)	1
1/13	7 (I TAIT ROUGH	1

MACHINE CUSHION (LEFT) AND OIL RESERVOIR AND

LINT BRUSH

MAIN SUFF

		MACHINE CUSHION (RIGHT) NEEDLE CAT. NO. 3650 SIZE NO. 16 NOTEO NEEDLES REGULARLY FURNISHED	12
		WITH THIS MACHINE.	
15/0/3		OIL CAN OIL SPOUT	1
156942		ONE QUART CAN FILLED WITH TYPE H OIL	2
32731			ī
21452		OPERATORS GUIDE	î
23308		SCREW DRIVER	î
156937		SCREW DRIVER (FOR NEEDLE SET SCREWS) THREAD (NEEDLE) TAKE-UP (LEFT) THREAD CONTROL	i
157002			•
		(WIRE)	1
54242			1
176	819	SCREW	_
156589		THREAD UNWINDER COMPLETE (SEE PAGE HEADED THREAD	1
		UNWINDER COMPLETE NO. 156589 FOR BREAKDOWN)	
156851		THREADER	1
16+204		TWEEZERS	1
154372		LOOPER DRIVING LEVER GAUGE NOTEO GAUGE NO. 154372	1
		IS ONLY FURNISHED WHEN ORDERED.	_
157027		HEXAGON KEY WRENCH 5/64 IN. (REGULAR, LONG)	1
169071		HEXAGON KEY WRENCH 3/32 IN. (REGULAR, SHORT)	1
157028		HEXAGON KEY WRENCH 1/8 IN. (REGULAR, SHORT)	1
157026		HEXAGON KEY WRENCH 9/64 IN. (REGULAR, SHORT)	1
157029			1
157862		SET OF HEXAGON KEY WRENCHES NOS. 157026, 157027,	1
•		157028, 157029 AND 169071 NOTEO SET OF HEXAGON	
		KEY WRENCHES NO. 157862 IS TO BE FURNISHED ON ORDER	
		ONLY.	
625092	502	BASE WITH 148(819)	1
156574		ROD	1
	819		1
156575		SPOOL PIN	4
	819		8
156576		SPOOL REST	4
		SPOOL REST CUSHION	4 4
		SPOOL REST ROD (MEDIUM)	
156579		SPOOL REST ROD HOLDER WITH TWO 141017(869)	1
156588		SPOOL REST ROD HOLDER 156579 WITH FOUR 156578	1
141017	869	SPOOL REST ROD HOLDER SET SCREW	2 2 1
156580		THREAD GUIDE (2 THREADS)	1
156581		THREAD GUIDE (4 THREADS)	1
156583	0.0	THREAD GUIDE HOLDER WITH 141146(869)	1
141146		THREAD GUIDE HOLDER SUPPORT SET SCREW	1 1 3 3
51285		THREAD GUIDE SCREW	2
1520	809	THREAD GUIDE SCREW NUT	1
150057		THREAD SEPARATOR (4 THREADS) THREAD SEPARATUR 150057 WITH 150059 (4 THREADS)	ī
150058			i
150059		THREAD SEPARATOR BRACKET	1
156585		THREAD SEPARATOR ROD	-

PART	NUMBE	R	
MAIN	SUFF	DESCRIPTION	QTY
625081	501	THREAD SEPARATOR ROD SWIVEL CLAMP	2
140977		The same and the same of the s	1
1608		THREAD SEPARATOR ROD SWIVEL CLAMP BALL JOINT STUD	1
1000	019	LOCK NUT	
51234	819	THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING SCREW	1
929058		The second secon	- 1
,,,,,,,,		NUT	_
14017		THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING SCREW	1
		NUT WASHER	
156586		THREAD SEPARATOR ROD SWIVEL CLAMP HOLDER WITH	1
		140409(869)	1
156587		THREAD SEPARATOR ROD SWIVEL CLAMP HOLDER 156586	r
		WITH 1608(819), 14017, 51234(819), 140977(819),	
		929058-505 AND TWO 625081-501	1
140409			1
164	809	THREAD SEPARATOR SCREW WOOD SCREWS 1 1/4 IN. NO. 12 R.H.B.	3
		THREAD UNWINDER (FOUR SPOOLS) COMPLETE NOS. 164(809)	_
156589	l	150058, 156574, 156581, 156583, 156585, 156587,	-
		156588, 625092-502, TWO 156580, THREE EACH 1520(809	
		51285(809), WOOD SCREWS 1 1/4 IN. NO. 12 R.H.B.	
		FOUR EACH 156575, 156576, 156577 AND EIGHT	
		1722(819)	
51070	819	0.00 0.	2
	819	THREAD UNWINDER BRACKET CAP SCREW NUT	2
67425		THREAD UNWINDER BRACKET CAP SCREW NUT LOCK WASHER	2
	830	THREAD UNWINDER BRACKET SET SCREW	2
156665	•	THREAD UNWINDER BRACKET COMPLETE, NOS. TWO EACH	1
		443(830), 51070(819) AND 67425 (FOR USE WHEN	
		THREAD UNWINDER IS FASTENED TO CONDUIT PIPE) NOTEO	
		NO. 156665 IS TO BE FURNISHED ON REQUEST ONLY.	